



# Speed-Commander™ 1500 Compact High Performance Door

For interior applications - grocery, hospitals, retail, e-commerce and more



# Speed-Commander™ 1500 Compact

## Interior door with innovative tubular drive and aluminum guide tracks

### Compact modern solution for retail, grocery and more

Thanks to anodized aluminum guide tracks and hood, integrated wiring and few visible screws, the SC 1500 Compact has a refined appearance that is well-suited for areas with customer traffic including grocery, retail and hospitals.

Elegant and compact aluminum guide tracks only require 5-½" of clearance on either side of the door opening and a powerful UL rated tubular motor requires very little headroom clearance, enabling the 1500 Compact to fit into even the tightest spaces. The result is streamline and modern-looking.

The door seals extremely well due to the narrow insertion area on the guide tracks where the panel runs inside and guide track draft seals assist with forming a tight seal around the door panel. A fast opening speed of up to 60" per second greatly reduces the amount of air flow between two areas.

A standard, full-width vision area provides maximum visibility, and a SoftEdge bottom profile with built-in light curtain automatically reverses the door upon accidental impact. An aluminum bottom bar with breakaway tabs is optional for applications having slightly more air pressure.

As standard, a light curtain is built into the guide tracks and monitors the closing zone of the door up to a height of 8'0", reversing the door if a light beam is interrupted. The risk of damage from a collision is greatly minimized.

More and more installations are requiring that the door control box is installed out of the reach of passersby or completely away from the door in a central location. For these types of applications, our optional remote keypad is the ideal accessory; it allows for the actual door control box to be remotely installed while still having the ability to operate all control functions through a compact, 3" x 5-½" keypad integral on either the left or right guide track at 51" up from the bottom of the track. The same functions performable on the door control box may also be performed on the remote keypad. Initial installation set-up, opening and closing, as well as service and troubleshooting are all done through the remote keypad.



#### Stable panel

Welded panel with spring steel stiffener



#### Tight sealing

Narrow guide track panel insertion area and draft seals



#### Convenient remote keypad - optional

Access control box functions when the control box is remotely installed



#### Powerful and compact UL tubular motor

Dependable operation for high cycle areas

### Exclusive 2 year - 1 Million cycle warranty

The motor / drive are warranted for 1 million cycles. All other components including the panel and control box are warranted for two years.



## Features

<b>Door type</b>	SC 1500 SEL Compact
<b>Suitable application</b>	Interior
<b>Size range</b>	
Max. width x height with rubber edge	13'0" x 13'0"
Max. width x height with aluminum edge	16'0" x 16'0"
<b>Operating speeds</b>	
Max. opening (in/s)	60
Closing approx. (in/s)	30
<b>Panel</b>	
Welded with spring steel profile	●
<b>Breakaway</b>	
SoftEdge rubber	●
Aluminum edge with breakaway tabs	○
<b>Vision</b>	
Full-width	●
<b>Panel colors</b>	
Zinc Yellow (RAL 1018)	●
Pure Orange (RAL 2004)	●
Carmine Red (RAL 3002)	●
Gentian Blue (RAL 5010)	●
Agate Gray (RAL 7038)	●
Pure White (RAL 9010)	●
<b>Guide Tracks (4-7/8" w x 4-3/8" proj.)</b>	
6060 anodized aluminum	●
<b>Hood</b>	
Powder coated steel	●
<b>Light curtain built into tracks</b>	●
<b>Control box</b>	
Smart Start™ NXT NEMA 4X UL 3-phase, 208 v to 480 v (575 v w/transformer)	●
1-phase, 230 v	Available
Smart Start™ NXT HFCB NEMA 3	Consult factory
Non-UL 1-phase, 230 v only	
<b>Emergency opening</b>	
UPS Emergency battery pack Non-UL - Automatic door opening in case of power failure (With HFCB 1-phase control box only)	○
● = Standard   ○ = Optional   - = Unavailable	

Everything you've always wanted in a high performance door, and more

**HÖRMANN**

## German Engineered, American Made

Our promise to you.

As one of the world's leading manufacturers of doors, we're committed to providing the best quality, value, and selection. Whether industrial or commercial, retail automotive, parking garages, transit, waste management,

fire stations or food processing, we have the door you're looking for. The Hörmann product line has a door for any application, from one manufacturer.



Hörmann High Performance Doors, Burgettstown, PA  
High Performance Doors



Hörmann TNR Doors, Barrie, Ontario, Canada  
High Performance Doors



Environmental commitment has been part of our corporate culture for decades. From our manufacturing processes to the products we make.

In everything we do we strive to minimize energy and use of resources through efficient processes, long-lasting quality and innovative engineering.

Connect with us!



Visit our website for more information!

Hörmann High Performance Doors  
Starpointe Business Park • 117 Starpointe Boulevard  
Burgettstown, PA 15021-9506  
Phone: 800.365.3667 • 724.385.9150 • Fax: 724.385.9151  
www.hormann.us • Email: info2@hormann.us

Hörmann TNR Doors  
200 Fairview Road • Unit # 2  
Barrie, Ontario L4N 8X8  
Phone: 866.792.9968 • Fax: 705.735.9564  
www.TNRdoors.com • Email: info@tnrdoors.com